


INSTRUCTION MANUAL



Laguna Contempo 24" Saddle Bar Stool
SKU: OP7002-24

V1.0

! NOTICE

Do not overtighten screws. (Insert all screws before tighten screws.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.

TOOLS REQUIRED



ALLEN WRENCH WITH CROSS HEAD
(PROVIDED)



STOOL
330 LBS
CAPACITY



1 PERSON
ASSEMBLY




UP TO 20 MIN.
ASSEMBLY

HARDWARE

1

M6 x 50mm
BOLT



12 PCS

2

ALLEN
WRENCH




1 PC

PARTS

A


SADDLE



1 PC

B


STOOL LEG



2 PCS

C


STOOL LEG



2 PCS

D


SHORT RAIL



2 PCS

E

LONG RAIL



2 PCS


PRODUCT ASSEMBLY

1

Attach part D Short Rail to the slots on part C and part B Stool Legs and fix with 2 PCS of part 1 Bolt.


Make sure the steps on the top of the legs are facing each other and the small holes on the legs facing towards the outside.

Do not tighten screws too much at this stage.



2


Do the same to another Short Rail and the other two Legs.



PRODUCT ASSEMBLY

3

Attach part E Long Rail to the combined legs (part C+D+B) as below with 4 PCS of part 1 Bolts.



4

Attach part A the Saddle onto the assembled legs and fix them with 4 PCS of part 1 Bolt.

Tighten all the bolts to secure the steady of this stool.

