


INSTRUCTION MANUAL



Modern Rocking Poly Adirondack Chair


V2.0

! NOTICE

Do not overtighten screws. (Insert all screws before tightening screws.)

- Please do not exceed the weight limitations of this item.
- Do not stand on or use any part of this item as a step ladder.
- Firmly secure all bolts, screws, and nuts before use.
- Reconfirm that all bolts, screws, and nuts are secure every 90 days.
- Do not use or store this item in the proximity of open flame or flammable/combustible chemicals.
- Be aware that some parts are heavy and have sharp edges.

TOOLS REQUIRED



CHAIR
330 LBS
CAPACITY




1 PERSON
ASSEMBLY



UP TO 30 MIN.
ASSEMBLY


HARDWARE

1 **SCREW**
M6.3 x 80mm




6 PCS

2 **BOLT**
M6 x 60mm




8 PCS

3 **SCREW**
M6.3 x 50mm



2 PCS

4 **SCREW**
M6.3 x 40mm



6 PCS

5 **M6 NUT**



8 PCS


6 **M6 WASHER**



8 PCS


PARTS

A **CHAIR SEAT**




1 PC

B **CHAIR BACKREST**




1 PC

C **RIGHT CHAIR LEG**



1 PC


PARTS

D**LEFT CHAIR LEG**

1 PC

E**RIGHT CHAIR ARM**

1 PC

F**LEFT CHAIR ARM**

1 PC

G**RIGHT ROCKING FEET**

1 PC

H**LEFT ROCKING FEET**


1 PC

I**BACK RAIL**

1 PC

PRODUCT ASSEMBLY - OVERALL VIEW

Look at following overall view of this chair and learn the exact position of each part to be assembled.




PRODUCT ASSEMBLY

1

Attach **Part C Right Chair Leg** to **Part A Chair Seat** with 3 pcs of **Hardware #2 Bolt**, **Hardware #6 M6 Washer** and **Hardware #5 M6 Nut**.

Do the same to attach **Part D Left Chair Leg** to **Part A Chair Seat**.


Do not tighten screws too much at this stage.



2

Attach **Part E Right Chair Arm** to **Part C Right Chair Leg** with 1 pc of **Hardware #2 Bolt**, **Hardware #6 M6 Washer** and **Hardware #5 M6 Nut**.

Do the same to attach **Part F Left Chair Arm** to **Part D Left Chair Leg**.




PRODUCT ASSEMBLY

3

Put **Part B Chair Backrest** into **Part A Chair Seat** and fix them with 2 pcs of **Hardware #3 Screw** then attach **Part B Chair Backrest** to **Part E Right Chair Arm** and **Part F Left Chair Arm** with 2 pcs of **Hardware #1 Screw**.

Attach **Part I Back Rail** to **Part A Chair Seat** with 2 pcs of **Hardware #4 Screw**.




4

Attach **Part G Right Rocking Feet** to **Part C Right Chair Leg** with 2 pcs of **Hardware #1 Screw** and attach **Part G Right Rocking Feet** to **Part A Chair Seat** with 2 pcs of **Hardware #4 Screw**.

Do the same to attach **Part H Left Rocking Feet** to **Part D Left Chair Leg** and **Part A Chair Seat**.

Check and tighten all the bolts and screws again to finish the assembly.



CLEANING TIPS

REGULAR CLEAN: Use a mixture of warm water and mild soap. Gently scrub the surface with a soft bristle brush to remove any dirt or stains.

QUICK CLEAN: You can simply wipe down the furniture with a damp cloth.

Regular cleaning not only preserves the aesthetic appeal of your furniture, but also helps extend its lifespan.